STANDARD FOR MARKING / NORDIC VACUUM STEEL THERMOS

PRODUCT CODE: HTN01



UV PRINT (UV6)

maximum marking size, logo 1

2,5 x 1,5 cm full range of colors 2,7 x 1,5 cm white color

maximum marking size, logo 2 - horizontally or vertically, logo 1/3 - vertically

2,5 x 14 cm full range of colors

maximum marking size, logo 3

2,5 x 2,7 cm full range of colors 2,7 x 2,7 cm white color



ENGRAVING

maximum marking size, logo 1/2/3 - horizontally or vertically $4.5 \times 8 \text{ cm}$

LARGE SCALE ENGRAVING

maximum marking size, logo 1/2/3 - horizontally

5 x 1,6 cm 6 X 1,9 cm 7 x 2,2 cm 8 x 2,5 cm 9 x 2,8 cm 10 x 3,1 cm

Additional information, UV printing

- 1.* All colors except gold and silver.
- 2. A logotype with a width of 3 cm requires a marking test.
- 3. The black logo requires a trial to verify the correctness of the marking (applies only to light colors of products).
- 4. Suggested size of the logo is 27 mm.

PREPARATION ROOM: visualization, machine settings.

The actual maximum print size depends on the proportions of the logotype.

STANDARD FOR MARKING / NORDIC VACUUM STEEL THERMOS

PRODUCT CODE: HTN01



PAD PRINTING

maximum marking size, logo 1

3,5 x 3,5 cm

Max. 4 colors

maximum marking size, logo 2

7 x 3,5 cm

Max. 4 colors

maximum marking size, logo 3

3,5 x 3,5 cm

Max. 4 colors

STANDARD FOR MARKING/ DECORATIVE BOX FOR HTN01

PRODUCT CODE: BOXNT



PAD PRINTING (T1)

maximum marking size, logo 1

7 x 2 cm

6 x 3 cm

5 x 4 cm

max. 4 colors *

maximum marking size, logo 2

7 x 2 cm

6 x 3 cm

5 x 4 cm

max. 4 colors *

* the use of more than 1 color depends on the design of the logotype.

For consultation with the Labeling Department.

Additional information, pad printing

1.* The use of more than 1 color depends on the design of the logotype. It is possible to mark up to 4 colors, provided that the colors do not overlap. For consultation with the Labeling Department.

PREPARATION ROOM: visualization, machine settings.

The actual maximum print size depends on the proportions of the logotype.